


Figures 1A-1J




BEST AVAILABLE COPY


12h




4 day



2M



3M



4M

6M

10M

11M

Figure 11

Title: REPAIRING OR REPLACING TISSUES OR ORGANS

Applicant(s): Rakesh K. Jain et al.

Client/Matter No.: 00786/433002

Filing Date: April 28, 2005

Page 2 of 7

Serial No.: Not yet assigned

Customer No.: 21559

10/533047




Figure 10

Functional vessels


EGFP-HUVEC

Figure 12



10/533047

Figure 14



Title: REPAIRING OR REPLACING TISSUES OR ORGANS

Applicant(s): Rakesh K. Jain et al.

Client/Matter No.: 00786/433002

Filing Date: April 28, 2005


Serial No.: Not yet assigned

Page 6 of 7

Customer No.: 21559


10/533047

Figure 15



10/533047

Figure 17



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.